



A bold fusion of  
intelligence and innovation.

[www.grohe.co.za](http://www.grohe.co.za)

**GROHE**  
ENJOY WATER®

For more information, please contact: GROHE South Africa, tel: +27-11-783-4468, address: 13 Fredman Drive, 6<sup>th</sup> Floor, Fredman Towers, Sandton.

# Grohtherm 3000



**Thermostat bath mixer 1/2"**  
34 185

- Wall mounted
- Aquadimmer with multiple function:
  - Flow control
  - Diverter: bath / shower
- Shower bottom outlet
- **GROHE SafeStop** at 38°C
- **GROHE CoolTouch**® safety housing
- **GROHE TurboStat**® compact cartridge with wax thermoelement
- **GROHE StarLight**®



**Thermostat bath mixer**  
19 358

- Set for final installation for 35 500 or 34 212
- Aquadimmer with multiple function:
  - Flow control
  - Diverter: bath / shower
- Wall escutcheon
- **GROHE SafeStop** at 38°C
- **GROHE TurboStat**® compact cartridge with wax thermoelement
- **GROHE StarLight**®



**Thermostat shower mixer 1/2"**  
34 179

- Wall mounted
- Volume handle with economy button and individually adjustable economy stop
- Shower bottom outlet
- **GROHE SafeStop** at 38°C
- **GROHE CoolTouch**® safety housing
- **GROHE TurboStat**® compact cartridge with wax thermoelement
- **GROHE StarLight**®



**Thermostat shower mixer**  
19 359

- Set for final installation for 35 500 or 34 211
- Volume handle with economy button and individually adjustable economy stop
- **GROHE SafeStop** at 38°C
- **GROHE TurboStat**® compact cartridge with wax thermoelement
- **GROHE StarLight**®

# Grohtherm 2000



**Thermostat bath mixer 1/2"**  
34 174

- Wall mounted
- Aquadimmer with multiple function:
  - Flow control
  - Diverter: bath / shower
- Shower bottom outlet
- **GROHE SafeStop** at 38°C
- **GROHE CoolTouch**® safety housing
- **GROHE TurboStat**® compact cartridge with wax thermoelement
- **GROHE StarLight**®



**Thermostat bath mixer**  
19 355

- Set for final installation for 35 500 or 34 212
- Aquadimmer with multiple function:
  - Flow control
  - Diverter: bath / shower
- Wall escutcheon
- **GROHE SafeStop** at 38°C
- **GROHE TurboStat**® compact cartridge with wax thermoelement
- **GROHE StarLight**®



**Thermostat shower mixer 1/2"**  
34 169

- Wall mounted
- Volume handle with economy button and individually adjustable economy stop
- Shower bottom outlet
- **GROHE SafeStop** at 38°C
- **GROHE CoolTouch**® safety housing
- **GROHE TurboStat**® compact cartridge with wax thermoelement
- **GROHE StarLight**®



**Thermostat shower mixer**  
19 354

- Set for final installation for 35 500 or 34 211
- Volume handle with economy button and individually adjustable economy stop
- **GROHE SafeStop** at 38°C
- **GROHE TurboStat**® compact cartridge with wax thermoelement
- **GROHE StarLight**®



**GROHE SafeStop**

Prevents children from turning the temperature above 38°C.



**GROHE CoolTouch**®

The entire surface is always cool to touch.

# Grohtherm 1000



**Thermostat bath mixer 1/2"**  
34 155

- Wall mounted
- Lockable automatic diverter for bath / shower
- Volume handle with economy button and individually adjustable economy stop
- Shower bottom outlet
- **GROHE SafeStop** at 38°C
- **GROHE TurboStat**® compact cartridge with wax thermostatic element
- **GROHE StarLight**®



**Thermostat shower mixer**  
19 236

- Set for final installation for 34 211
- Metal rosette, screwed
- Volume handle with economy button and individually adjustable economy stop
- Temperature scale handle with **GROHE SafeStop** at 38°C
- **GROHE StarLight**®



**Thermostat shower mixer 1/2"**  
34 143

- Wall mounted
- Volume handle with economy button and individually adjustable economy stop
- Shower bottom outlet
- **GROHE SafeStop** at 38°C
- **GROHE TurboStat**® compact cartridge with wax thermostatic element
- **GROHE StarLight**®

## Shower Sets with Thermostats



**Rainshower Shower set 160 mm  
Classic with Thermostat**  
34 259

- Consisting of:
  - Grohtherm 2000 thermostat shower mixer (34 169)
  - Rainshower set (28 770)
  - Head extension (07 247)
- Minimum flow rate 7,5 l/min
- **GROHE StarLight**®



**Rainshower Shower set 130 mm  
Classic with Thermostat**  
34 246

- Consisting of:
  - Grohtherm 1000 thermostatic shower mixer (34 143)
  - Rainshower set (28 769)
- Minimum flow rate 5 l/min
- **GROHE StarLight**®



**Rainshower Shower System**  
27 032

- Consisting of:
  - Exposed thermostat with Aquadimmer function
  - Allows change between head shower
  - Rainshower modern (28 368) with ball joint
  - Sena (28 034), adjustable in height
- Minimum flow rate 7 l/min
- **GROHE StarLight**®



**GROHE TurboStat**®

Always the right temperature. Reacts instantly to changes in water pressure.



**GROHE StarLight**®

Radiant long-life shine due to GROHE chromium finish that produces an absolute immaculate surface that resists soil and tarnishing.



[www.grohe.co.za](http://www.grohe.co.za)

**GROHE South Africa**

13 Fredman Drive,  
6<sup>th</sup> Floor, Fredman Towers, Sandton  
Tel: +27-11-783-4468

Visit our website [www.grohe.co.za](http://www.grohe.co.za) and find  
the office / dealer / distributor closest to you.