

groheamerica.com / grohe.ca

# Grohsafe®



**35 015**  
Universal Rough-In Valve



**35 016**  
Rough-In Valve with Built-In Diverter


Grohsafe® Pressure Balance Valves  
Reliable Showering Protection

**GROHE**  
ENJOY WATER®

# Grohsafe®

## Universal Pressure Balance Rough-In Valve Model 35 015 000

The Grohsafe® Universal Pressure Balance Rough-In Valve can be installed with a choice of 26 shower trims to perfectly match any GROHE bathroom faucet. One rough-in valve can be used universally, replacing all four previous Grohsafe® rough-ins.



The Grohsafe® Universal Pressure Balance Rough-In Valve brings peace of mind with long term, reliable shower protection from scalding and cold shocks. Grohsafe features a rotating handle control which allows the user a wide comfort zone so they can gradually and precisely regulate water temperature from cold to hot. In addition, a handle limit stop controls temperature even further by limiting the extent of handle movement toward the full hot position.

### Performance Features:

- One Universal Pressure Balance Rough-In Valve (35 015) replaces four (35 250, 35 251, 35 252, 35 253)
- 26 valve trims available in decorative finishes to complete the design families
- Built-In Service Stops
- Check Valves
- 1/2" Universal Connections
- Compensates for hot or cold water pressure fluctuations and maintains selected shower temperature – no matter how the water pressure is effected
- Protects against scalding if the cold water supply is cut off by automatically shutting off the flow of hot water
- Protects against cold water shock if the hot water supply is cut off by automatically shutting off the flow of cold water
- Allows back to back installation, eliminating expensive piping
- Flow rate at 45 psi flow pressure: (top port) 5.5 gpm or 21 L/min; (bottom port) 5.8 gpm or 22 L/min

GROHSAFE® UNIVERSAL PRESSURE BALANCE VALVE TRIM OPTIONS



NEW

**19 375 000\***  
GROHE Allure  
chrome only



**19 303 000**  
GROHE Allure  
chrome only



**19 321**  
Somerset  
also available in ENO, ZBO



**19 150**  
Tenso  
also available in ENO



NEW

**19 368 000\***  
Veris  
chrome only



**19 431 000**  
GROHE Allure  
chrome only



**19 328 000**  
Bridgeford  
also available in ENO, ZBO



**19 710 000**  
Talia  
also available in ENO




**19 183 000**  
Chiara Nue  
also available in AVO



NEW

**19 716 002\***  
Europlus  
chrome only



**19 723 000**  
Atrio  
also available in AVO, BEO, ENO



**19 725 000**  
Geneva  
also available in ROO, AVO,  
BEO, ENO, ZBO



**19 264 000**  
Talia  
also available in ENO



**19 347 000**  
Essence  
chrome only



**19 724 000**  
Atrio  
also available in AVO, BEO, ENO




**19 722 000**  
Geneva  
also available in ROO, AVO,  
BEO, ENO, ZBO



**19 719 000**  
Talia  
also available in ENO



**19 068 001**  
Eurodisc  
chrome only



**19 267 000**  
Kensington  
also available in ENO



**19 707 000**  
Seabury  
also available in ROO, AVO,  
BEO, ENO, ZBO



**19 312 000**  
Arden  
also available in ENO



**19 457 000**  
Concetto  
chrome only



**19 268 000**  
Kensington  
also available in ENO, VPO



**19 708 000**  
Seabury  
also available in ROO, AVO,  
BEO, ENO, ZBO



**19 311 000**  
Arden  
also available in ENO



**19 458 001**  
Eurosmart  
chrome only


AVO = satin nickel†  
BEO = sterling†  
ENO = brushed nickel†  
ROO = polished brass†  
VPO = chrome/Swarovski® crystal  
ZBO = oil rubbed bronze

†InfinityFinish™  
\*Available 2nd Quarter 2009

# Grohsafe®

## Pressure Balance Rough-In Valve with Built-In Diverter – Model 35 016 000

The Grohsafe® Pressure Balance Rough-In Valve with Built-In Diverter can be installed with a choice of eight different shower trims to perfectly match GROHE bathroom faucets. Plus, the built-in diverter eliminates the need for a diverter tub spout or a separate diverter valve which can save money and simplify installation.



The Grohsafe® Pressure Balance Rough-In Valve with Built-In Diverter brings peace of mind with long term, reliable shower protection from scalding and cold shocks. This Grohsafe valve features a rotating handle control which allows the user a wide comfort zone so they can gradually and precisely regulate water temperature from cold to hot. In addition, a handle limit stop controls temperature even further by limiting the extent of handle movement toward the full hot position.

### Performance Features:

- Integrated spring loaded diverter – resets to tub outlet after each use
- 8 valve trims available in decorative finishes to complete the design families
- Built-In Service Stops
- Check Valves
- 1/2" Universal Connections
- Compensates for hot or cold water pressure fluctuations and maintains selected shower temperature – no matter how the water pressure is effected
- Protects against scalding if the cold water supply is cut off by automatically shutting off the flow of hot water
- Protects against cold water shock if the hot water supply is cut off by automatically shutting off the flow of cold water
- Allows back to back installation, eliminating expensive piping
- Flow rate at 45 psi flow pressure: 5.8 gpm or 22 L/min

### Pressure Balance Diverter Valve Trim Options:



**19 490 000**  
GROHE Allure  
chrome only



**19 376 000\***  
GROHE Allure  
chrome only



**19 491 000**  
Atrio  
also available in BE0,  
ENO



**19 492 000**  
Atrio  
also available in BE0,  
ENO



**19 353 000\***  
Veris  
chrome only



**19 340 000\***  
Europlus  
chrome only



**19 493 000**  
Tenso  
also available in ENO



**19 494 000**  
Essence  
chrome only

BE0 = sterling<sup>†</sup>  
ENO = brushed nickel<sup>†</sup>

<sup>†</sup>InfinityFinish™

\*Available 2nd Quarter 2009

GROHE America, Inc.  
Tel. 1.630.582.7711  
info@groheamerica.com  
www.groheamerica.com

GROHE Canada, Inc.  
Tel. 1-888-644-7643  
info@grohe.ca  
www.grohe.ca

**GROHE**  
ENJOY WATER®